



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-000059-LIC

Elysium -2.5mg -25ct

METRC Sample: 1A406030003F099000000020; METRC Batch: 1A406030003F6D9000000014

Sample ID: 2204EXL0198.0540	Produced: 03/18/2022	Distributor: My Green Network	Producer: Minerva Products
Strain: Elysium 2.5mg 1:1	Collected: 04/12/2022	Lic. # C11-0001478-LIC	Lic. # CDPH-10004741
Matrix: Ingestible	Received: 04/12/2022	3200 S. Susan St	3200 S. Susan St Santa Ana, CA 92704
Type: Soft Chew	Completed: 04/15/2022	Santa Ana, CA 92704	
Sample Size: 5 units; Batch: 276 units	Batch#: Ely25031822		



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/14/2022	Complete
Foreign Matter	04/13/2022	Pass
Heavy Metals	04/15/2022	Pass
Microbials	04/14/2022	Pass
Mycotoxins	04/14/2022	Pass
GCMS Pesticides	04/14/2022	Pass
LCMS Pesticides	04/14/2022	Pass
Residual Solvents	04/13/2022	Pass
Water Activity	04/13/2022	0.52 aw - Pass

Cannabinoids

Complete

2.517 mg/serving	2.311 mg/serving	4.965 mg/serving
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/package
CBC	0.026	0.078	0.0086	0.086	0.137	3.428
CBD	0.026	0.078	0.1444	1.444	2.311	57.778
CBDa	0.026	0.078	ND	ND	ND	ND
CBDV	0.026	0.078	ND	ND	ND	ND
CBDVa	0.026	0.078	ND	ND	ND	ND
CBG	0.026	0.078	ND	ND	ND	ND
CBGa	0.026	0.078	<LOQ	<LOQ	<LOQ	<LOQ
CBN	0.026	0.078	ND	ND	ND	ND
Δ8-THC	0.026	0.078	ND	ND	ND	ND
Δ9-THC	0.026	0.078	0.1573	1.573	2.517	62.922
THCa	0.026	0.078	ND	ND	ND	ND
THCV	0.026	0.078	ND	ND	ND	ND
Total THC			0.157	1.573	2.517	62.922
Total CBD			0.144	1.444	2.311	57.778
Total CBG			0.000	0.000	0.000	0.000
Total			0.310	3.103	4.965	124.128

Date Tested: 04/14/2022

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
 Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
 Cannabinoids: HPLC, CAN-SOP-001
 Water Activity: Water Activity Meter, WA-SOP-001
 Moisture Content: Moisture Analyzer, MO-SOP-001
 Foreign Matter: Visual Inspection, FM-SOP-001



Dr. Jerry White PhD Bryan Zahakaylo

Jerry White, PhD
Chief Scientific Officer
04/15/2022

Bryan Zahakaylo
Analyst
04/15/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-000059-LIC

Elysium -2.5mg -25ct

METRC Sample: 1A406030003F099000000020; METRC Batch: 1A406030003F6D9000000014

Sample ID: 2204EXL0198.0540	Produced: 03/18/2022	Distributor:	Producer:
Strain: Elysium 2.5mg 1:1	Collected: 04/12/2022	My Green Network	Minerva Products
Matrix: Ingestible	Received: 04/12/2022	Lic. # C11-0001478-LIC	Lic. # CDPH-10004741
Type: Soft Chew	Completed: 04/15/2022	3200 S. Susan St	3200 S. Susan St Santa Ana, CA 92704
Sample Size: 5 units; Batch: 276 units	Batch#: Ely25031822	Santa Ana, CA 92704	

GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.231	0.7	5	ND	Pass
Chlordane (trans + cis)	0.0116	0.035	0.0116	ND	Pass
Chlorfenapyr	0.0058	0.0175	0.0058	ND	Pass
Cyfluthrin	0.0231	0.07	1	ND	Pass
Cypermethrin	0.0231	0.07	1	ND	Pass
Parathion Methyl	0.0058	0.0175	0.0058	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.0231	0.07	0.2	ND	Pass

Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.7000	5.0000		ND	Tested
Aflatoxin B2	1.7000	5.0000		ND	Tested
Aflatoxin G1	1.7000	5.0000		ND	Tested
Aflatoxin G2	1.7000	5.0000		ND	Tested
Ochratoxin A	6.6000	20.0000	20	ND	Pass
Total Aflatoxins			20	ND	Pass

Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0165	0.05	1.5	ND	Pass
Cadmium	0.0165	0.05	0.5	ND	Pass
Lead	0.0413	0.125	0.5	ND	Pass
Mercury	0.0033	0.01	3	<LOQ	Pass

GCMS Date Tested: 04/14/2022
Pesticides: GC-MS/MS, GCMS Method GCP-SOP-001
LCMS Date Tested: 04/14/2022
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001
Microbial Date Tested: 04/14/2022
Microbials Footnote: Microbial: PCR-SOP-001
RFU = Relative Fluorescence Units
Heavy Metals Date Tested: 04/15/2022
Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001



Dr. Jerry White PhD Bryan Zahakaylo

Jerry White, PhD
Chief Scientific Officer
04/15/2022

Bryan Zahakaylo
Analyst
04/15/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

Elysium -2.5mg -25ct


METRC Sample: 1A406030003F099000000020; METRC Batch: 1A406030003F6D9000000014

Sample ID: 2204EXL0198.0540	Produced: 03/18/2022	Distributor	Producer
Strain: Elysium 2.5mg 1:1	Collected: 04/12/2022	My Green Network	Minerva Products
Matrix: Ingestible	Received: 04/12/2022	Lic. # C11-0001478-LIC	Lic. # CDPH-10004741
Type: Soft Chew	Completed: 04/15/2022	3200 S. Susan St	3200 S. Susan St Santa Ana, CA 92704
Sample Size: 5 units; Batch: 276 units	Batch#: Ely25031822	Santa Ana, CA 92704	

LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.033	0.1	0.3	ND	Pass	Imazalil	0.033	0.1	0.033	ND	Pass
Acephate	0.033	0.1	5	ND	Pass	Imidacloprid	0.033	0.1	3	ND	Pass
Acequinocyl	0.033	0.1	4	ND	Pass	Kresoxim Methyl	0.033	0.1	1	ND	Pass
Acetamiprid	0.033	0.1	5	ND	Pass	Malathion	0.033	0.1	5	ND	Pass
Aldicarb	0.033	0.1	0.033	ND	Pass	Metalaxyl	0.033	0.1	15	ND	Pass
Azoxystrobin	0.033	0.1	40	ND	Pass	Methiocarb	0.033	0.1	0.033	ND	Pass
Bifenazate	0.033	0.1	5	ND	Pass	Methomyl	0.033	0.1	0.1	ND	Pass
Bifenthrin	0.033	0.1	0.5	ND	Pass	Mevinphos	0.033	0.1	0.033	ND	Pass
Boscalid	0.033	0.1	10	ND	Pass	Myclobutanil	0.033	0.1	9	ND	Pass
Carbaryl	0.033	0.1	0.5	ND	Pass	Naled	0.033	0.1	0.5	ND	Pass
Carbofuran	0.033	0.1	0.033	ND	Pass	Oxamyl	0.033	0.1	0.2	ND	Pass
Chlorantraniliprole	0.033	0.1	40	ND	Pass	Pacllobutrazol	0.033	0.1	0.033	ND	Pass
Chlorpyrifos	0.033	0.1	0.033	ND	Pass	Permethrin (trans + cis)	0.033	0.1	20	ND	Pass
Clofentezine	0.033	0.1	0.5	ND	Pass	Phosmet	0.033	0.1	0.2	ND	Pass
Coumaphos	0.033	0.1	0.033	ND	Pass	Piperonyl Butoxide	0.033	0.1	8	ND	Pass
Daminozide	0.033	0.1	0.033	ND	Pass	Prallethrin	0.033	0.1	0.4	ND	Pass
Diazinon	0.1	0.1	0.2	ND	Pass	Propiconazole	0.033	0.1	20	ND	Pass
Dichlorvos	0.033	0.1	0.033	ND	Pass	Propoxur	0.033	0.1	0.033	ND	Pass
Dimethoate	0.033	0.1	0.033	ND	Pass	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.0133	0.04	1	ND	Pass
Dimethomorph (I + II)	0.033	0.1	20	ND	Pass	Pyridaben	0.033	0.1	3	ND	Pass
Ethoprophos	0.033	0.1	0.033	ND	Pass	Spinetoram (J + L)	0.033	0.1	3	ND	Pass
Etofenprox	0.033	0.1	0.033	ND	Pass	Spinosyn (A + D)	0.033	0.1	3	ND	Pass
Etoazole	0.033	0.1	1.5	ND	Pass	Spiromesifen	0.033	0.1	12	ND	Pass
Fenhexamid	0.033	0.1	10	ND	Pass	Spirotetramat	0.033	0.1	13	ND	Pass
Fenoxycarb	0.033	0.1	0.033	ND	Pass	Spiroxamine	0.033	0.1	0.033	ND	Pass
Fenpyroximate	0.033	0.1	2	ND	Pass	Tebuconazole	0.033	0.1	2	ND	Pass
Fipronil	0.033	0.1	0.033	ND	Pass	Thiacloprid	0.033	0.1	0.033	ND	Pass
Flonicamid	0.033	0.1	2	ND	Pass	Thiamethoxam	0.033	0.1	4.5	ND	Pass
Fludioxonil	0.033	0.1	30	ND	Pass	Trifloxystrobin	0.033	0.1	30	ND	Pass
Hexythiazox	0.033	0.1	2	ND	Pass						



LCMS Date Tested: 04/14/2022
Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001



Dr. Jerry White PhD *Bryan Zahakaylo*

Jerry White, PhD
Chief Scientific Officer
04/15/2022

Bryan Zahakaylo
Analyst
04/15/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-000059-LIC

Elysium -2.5mg -25ct

METRC Sample: 1A406030003F099000000020; METRC Batch: 1A406030003F6D9000000014

Sample ID: 2204EXL0198.0540	Produced: 03/18/2022	Distributor	Producer
Strain: Elysium 2.5mg 1:1	Collected: 04/12/2022	My Green Network	Minerva Products
Matrix: Ingestible	Received: 04/12/2022	Lic. # C11-0001478-LIC	Lic. # CDPH-10004741
Type: Soft Chew	Completed: 04/15/2022	3200 S. Susan St	3200 S. Susan St Santa Ana, CA 92704
Sample Size: 5 units; Batch: 276 units	Batch#: Ely25031822	Santa Ana, CA 92704	

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	15.4688	46.875	5000	ND	Pass
Acetonitrile	15.4688	46.875	410	ND	Pass
Benzene	0.1547	0.4688	1	ND	Pass
Butane	15.4688	46.875	5000	ND	Pass
Chloroform	0.1547	0.4688	1	ND	Pass
1, 2-Dichloroethane	0.1547	0.4688	1	ND	Pass
Ethanol	15.4688	46.875	5000	ND	Pass
Ethyl Acetate	15.4688	46.875	5000	243.590	Pass
Ethyl Ether	15.4688	46.875	5000	ND	Pass
Ethylene Oxide	0.1547	0.4688	1	ND	Pass
Heptane	15.4688	46.875	5000	ND	Pass
Hexane	15.4688	46.875	290	ND	Pass
Isopropyl Alcohol	15.4688	46.875	5000	<LOQ	Pass
Methanol	15.4688	46.875	3000	ND	Pass
Methylene Chloride	0.1547	0.4688	1	ND	Pass
Pentane	15.4688	46.875	5000	ND	Pass
Propane	15.4688	46.875	5000	ND	Pass
Toluene	15.4688	46.875	890	ND	Pass
Total Xylenes (o, m, p)	46.4063	140.625	2170	ND	Pass
Trichloroethylene	0.1547	0.4688	1	ND	Pass



Date Tested: 04/13/2022
Residual Solvents: HS-GC-MS RS Method RS-SOP-001



Dr. Jerry White PhD Bryan Zahakaylo

Jerry White, PhD
Chief Scientific Officer
04/15/2022

Bryan Zahakaylo
Analyst
04/15/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.